L Number	Hits	Search Text	DB	Time stamp
- 1	2471	(translat\$4 or transform\$4 or convert\$4) near20 message same (format	USPAT;	2004/06/03 14:37
1		or protocol) and (route\$5 or routing or switch\$4) near20 message	US-PGPUB;	
1			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1485	@ad<20000413 and (translat\$4 or transform\$4 or convert\$4) near20	USPAT;	2004/06/01 16:33
		message same (format or protocol) and (route\$5 or routing or switch\$4)	US-PGPUB;	
1	•	near20 message	ЕРО; ЈРО;	
			DERWENT,	
			IBM_TDB	
-	202	@ad<20000413 and ((translat\$4 or transform\$4 or convert\$4) near20	USPAT;	2004/06/01 16:33
		message same (format or protocol) same need\$4) and ((route\$5 or	US-PGPUB,	
		routing or switch\$4) near20 message)	ЕРО; ЈРО;	
:			DERWENT;	
			·IBM_TDB	
-	9	@ad<20000413 and ((translat\$4 or transform\$4 or convert\$4) near20	USPAT;	2004/06/03 15:42
		message same (format or protocol) same need\$4) and ((route\$5 or	US-PGPUB;	
		routing or switch\$4) near20 message same servers)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	2	6278697.pn.	USPĀT;	2004/06/03 15:01
		•	US-PGPUB,	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	2	"20030069975" .pn.	USPĀT;	2004/06/03 15:02
		•	US-PGPUB;	
		·	ЕРО; ЈРО;	
			DERWENT;	
			IBM TDB	
-	0	@ad<20000413 and (content near3 (routing or router or switch\$4)).ab.	USPĀT;	2004/06/03 15:45
		and project adj management	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
-	5	@ad<20000413 and (content near3 (routing or router or switch\$4)).detd.	USPAT;	2004/06/03 15:59
		and project adj management	US-PGPUB,	
ļ		,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
.	1008	@ad<20000413 and (content near3 (routing or router or switch\$4)).ab.	USPAT;	2004/06/03 16:00
		· "	US-PGPUB;	
}			ЕРО; ЛРО;	
į			DERWENT;	
			IBM_TDB	
-	7	@ad<20000413 and (content near3 (routing or router or switch\$4)).ab.	USPAT;	2004/06/03 16:04
		and project	US-PGPUB;	
		,	ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
-	28	@ad<20000413 and (content near3 (routing or router or switch\$4) same	USPAT;	2004/06/03 16:48
		message).ab.	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
	0	@ad<20000413 and (content near3 (routing or router or switch\$4) same	USPAT;	2004/06/03 16:49
	•	message).ab. and business	US-PGPUB;	230 1100103 10.47
		,	ЕРО; ЛРО;	
			DERWENT;	
			IBM <u>'</u> TDB	

•	17	@ad<20000413 and (content near3 (routing or router or switch\$4)).ab. and business	USPAT; US-PGPUB;	2004/06/03 16:52
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	4	@ad<20000413 and (content near3 (routing or router or switch\$4)).ab.	USPAT;	2004/06/03 16:55
		and business same content	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	13	@ad<20000413 and content near3 (routing or router or switch\$4) same	USPAT;	2004/06/03 16:59
1		business same content	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	3	@ad<20000413 and content near3 (routing or router or switch\$4) same	USPAT;	2004/06/03 17:00
		project same content	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	50	@ad<20000413 and content near3 (routing or router or switch\$4) and	USPAT;	2004/06/03 17:00
		(project or business) near10 content	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	37	@ad<20000413 and content near3 (routing or router or switch\$4) and	USPAT;	2004/06/03 17:01
		(project or business) near3 content	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
1			IBM_TDB	
-	25	@ad<20000413 and content adj3 (routing or router or switch\$4) and	USPAT;	2004/06/03 17:04
		(project or business) near3 content	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	41	@ad<20000413 and content adj3 (routing or router or switch\$4) and	IBM_TDB USPAT;	2004/06/03 17:07
-	41	(project or business or commerce or transaction) near3 content	US-PGPUB;	2004/00/03 17.07
		(project of business of confinerce of transaction) hears content	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	@ad<20000413 and (route\$4 or routing or switch\$4) near3 message	USPAT;	2004/06/03 17:27
		same (rout\$4 near3 tag\$2)	US-PGPUB;	250 17 05/05 17.27
		(-2004 · 11200 C MB42)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	54	@ad<20000413 and (route\$4 or routing or switch\$4) near3 message	USPAT;	2004/06/03 17:27
		same (rout\$4 near3 content)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
-	0	@ad<20000413 and (route\$4 or routing or switch\$4) near3 message	USPAT;	2004/06/03 17:28
		same (rout\$4 near3 content) same servers	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	54	@ad<20000413 and (route\$4 or routing or switch\$4) near3 message	USPAT;	2004/06/03 17:28
		same (rout\$4 near3 content)	US-PGPUB;	
			ЕРО; ЈРО;	
		·	DERWENT;	
		<u> </u>	IBM_TDB	
·			,	

-	7	@ad<20000413 and ((route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 content)).ab.	USPAT; US-PGPUB;	2004/06/03 17:31
		State (10 att 1 feet 5 conteste) Just	ЕРО; ЛРО;	
		,	DERWENT;	
			IBM_TDB	
1_	2	@ad<20000413 and content near2 switch\$4 same (project or business or	USPAT;	2004/06/03 17:33
	-	transaction or task) same server	US-PGPUB;	200 1/ 00/05 17:55
		transaction of tasky same server	ЕРО; ЛРО;	!
			DERWENT;	
			IBM_TDB	
	1	@ad<20000413 and content adj2 (switch\$4 or router) same (project or	USPAT;	2004/06/03 17:34
	•	business or transaction or task) same server	US-PGPUB;	200 1/00/05 17:51
	j	business of damparent of most, built belief	ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
1_	107	@ad<20000413 and content adj server same (route\$2 or routing or	USPAT;	2004/06/03 17:35
	,	switch\$4) same servers	US-PGPUB;	200 1/00/03 17:33
		Switcher ty saine servers	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	0	@ad<20000413 and content adj server same (route\$2 or routing or	USPAT;	2004/06/03 17:35
		switch\$4) same servers and (businnes or project) near5 content	US-PGPUB;	
			ЕРО; ЛРО;	
		,	DERWENT;	
			IBM TDB	
-	9	@ad<20000413 and content adj server same (route\$2 or routing or	USPAT;	2004/06/03 17:36
		switch\$4) same servers and (businnes or project)	US-PGPUB;	200 1100100 11100
		analy ty state sort to a man (constants or projectly	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	1	@ad<20000413 and (content adj (switch\$4 or roter or routing)).ti. and	USPAT;	2004/06/03 17:37
	_	business	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	:
			IBM_TDB	
-	53	@ad<20000413 and (content adj (switch\$4 or roter or routing)).ti.	USPĀT;	2004/06/03 17:40
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	3	@ad<20000413 and (content adj (switch\$4 or roter or routing)).ab. and	USPAT;	2004/06/03 17:40
		business	US-PGPUB;	
			ЕРО; ЈРО;	
		,	DERWENT;	
			IBM_TDB	
-	4	@ad<20000413 and (content adj (switch\$4 or roter or routing)).ab. and	USPAT;	2004/06/03 17:42
		transactions	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	137	@ad<20000413 and (switch\$4 or routing o route\$4) near5 message	USPAT;	2004/06/03 17:43
		near10 tag\$2	US-PGPUB;	
			ЕРО; ЛРО;	
		,	DERWENT;	
			IBM_TDB	
1-	73	@ad<20000413 and (switch\$4 or routing o route\$4) near2 message	USPAT;	2004/06/03 17:43
		near10 tag\$2	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	

_	22	@ad<20000413 and ((switch\$4 or routing o route\$4) near2 message	USPAT;	2004/06/03 17:46
		near10 tag\$2).ab.	US-PGPUB;	
i		100110 00502).00.	ЕРО; ЛРО;	
			DERWENT;	
	ے ا	(A) 1-20000412 1/	IBM_TDB	2004/06/02 17:48
-	5	@ad<20000413 and (switch\$4 or routing o route\$4) near2 message	USPAT;	2004/06/03 17:48
		near10 tag\$2 same servers	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000413 and (content-base\$4 or (content adj base\$4)) adj3	USPAT;	2004/06/03 17:50
		(roter or routing or switch\$4) same (business or project\$ or aplication\$)	US-PGPUB;	
		same servers	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	3	@ad<20000413 and (content-base\$4 or (content adj base\$4)) adj3	USPAT;	2004/06/03 17:50
_	,	(roter or routing or switch\$4) same (business or project\$ or aplication\$)	US-PGPUB;	200 1/00/03 17:30
ļ		(10ter of routing of switchist) same (business of projects of aprications)	ЕРО; ЛРО;	
			DERWENT;	
	_	0.1-20000412 1// 1/104 1/24 1/4 1/4 1/4	IBM_TDB	2004/02/02 12:01
-	5	@ad<20000413 and (((switch\$4 or route\$4 or routing\$4 or deliver\$4 or	USPAT;	2004/06/03 18:06
		send\$4 or transmit\$4)) near5 message) same servers same tag	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
]			IBM_TDB	
_ !	1	@ad<20000413 and switch\$4 near5 message near10 tag and switch\$4	USPAT;	2004/06/03 18:08
		near5 server	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	49	@ad<20000413 and switch\$4 near5 message near10 tag	USPAT;	2004/06/03 18:09
-	49	(Wad-20000413 and switches hear) hiessage hear to tag	US-PGPUB;	2004/00/03 18.03
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	34	@ad<20000413 and switch\$4 near5 message same (route\$4 or routing	USPAT;	2004/06/03 18:12
ļ		or switch\$4) near3 tag	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	17	@ad<20000413 and message near3 routing near3 tag	USPĀT;	2004/06/03 18:16
			US-PGPUB;	
			ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
i _	133	@ad<20000413 and (routing adj tag).ab.	USPAT;	2004/06/03 18:18
-	133	waa 20000413 ana (rouning auj rag).au.	US-PGPUB;	2007/00/03 10.10
		·		
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	@ad<20000413 and (routing adj tag near5 message).ab.	USPAT;	2004/06/03 18:16
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	О	@ad<20000413 and switch near5 message near10 server near10 tag	USPAT;	2004/06/03 18:18
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	L	I	IDINI IDB	1

		•		
-	0	@ad<20000413 and switch near5 message near10 server near10 tag	USPAT; US-PGPUB;	2004/06/03 18:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	@ad<20000413 and switch\$4 near5 message\$2 near10 server\$4 near10	USPAT;	2004/06/03 18:19
		tag\$4	US-PGPUB,	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000413 and switch\$4 near5 message\$2 near30 server\$4 near30	USPAT;	2004/06/03 18:20
		tag\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			BM TDB	
_	46	@ad<20000413 and tag near5 switch\$4 near5 message	USPAT;	2004/06/03 18:20
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000413 and tag near5 switch\$4 near5 message near20 server	USPAT;	2004/06/03 18:20
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	46	@ad<20000413 and tag near5 switch\$4 near5 message	USPAT;	2004/06/03 18:21
	1	ward \$20000 113 and tag near 3 when \$4 hears message	US-PGPUB;	2004/00/03 10.21
	1		ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	12	@ad<20000413 and tag adj switch\$4 near5 message	USPAT;	2004/06/03 18:23
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT; IBM_TDB	
_	9	@ad<20000413 and message near5 routing adj tag	USPAT;	2004/06/03 18:25
	1	waa 20000413 and message near 3 routing adj alg	US-PGPUB;	2004/00/03 10:23
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	118		USPAT;	2004/06/03 18:26
		near20 based near3 (tag or content)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT; IBM_TDB	
_	34	@ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2	USPAT;	2004/06/03 18:26
		near20 based near3 (tag or content) same network	US-PGPUB;	200 1/00/03 10:20
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	8	@ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2	USPAT;	2004/06/03 18:27
		near20 based adj3 (tag or content) same network	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	22	@ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2	IBM_TDB USPAT;	2004/06/03 18:37
		near20 (based adj3 (tag or content)) same network	US-PGPUB;	200-100/03 10.37
		, , , , , , , , , , , , , , , , , , , ,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	

-	2	@ad<20000413 and 6216132.pn.	USPAT;	2004/06/03 18:38
			US-PGPUB; EPO; JPO;	
1		•	DERWENT;	
			IBM_TDB	
1_	0	@ad<20000413 and switch near5 message near5 based near5 tag	USPAT;	2004/06/03 18:38
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	79	@ad<20000413 and (switch\$4 or routing) near5 message near5 tag	USPAT;	2004/06/03 18:39
			US-PGPUB;	
		,	ЕРО; ЛРО;	
1			DERWENT; IBM_TDB	
1_	5	@ad<20000413 and (switch\$4 or routing) near5 message near5 tag	USPAT;	2004/06/04 09:40
		same header	US-PGPUB;	2004/00/04 07.40
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	252	@ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5	USPAT;	2004/06/04 09:42
		(protocol or format) same validat\$4	US-PGPUB;	
1			ЕРО; ЛРО;	
			DERWENT;	
	96	@ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5	IBM_TDB	2004/06/04 10:00
-	90	(protocol or format) same (dtd or schema)	USPAT; US-PGPUB;	2004/06/04 10:00
		(protocol of format) same (ata of schema)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	3	@ad<20000413 and "6393442"	USPĀT;	2004/06/04 09:45
			US-PGPUB,	
1			ЕРО; ЛРО;	
		·	DERWENT;	
	,	(A-1-200004121/	IBM_TDB	2004/06/04 10 10
-	3	@ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5 (xml same (wml or html or wml or sgml)) same (dtd or schema)	USPAT; US-PGPUB;	2004/06/04 10:18
		same (with or main or with or sgift) same (and or schema)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000413 and xsl near20 (root adj element)	USPAT;	2004/06/04 10:18
			US-PGPUB;	
			ЕРО; ЈРО;	
		,	DERWENT;	
		@ad <20000412 and val name (mast all alamant)	IBM_TDB	2004/06/04 10:50
1.	5	@ad<20000413 and xsl same (root adj element)	USPAT; US-PGPUB;	2004/06/04 10:59
			ЕРО; ЛРО;	
1			DERWENT;	
			IBM TDB	
-	4	@ad<20000413 and xslt and (root adj element)	USPAT;	2004/06/04 11:05
1		-	US-PGPUB;	
			ЕРО; ЛРО;	
		·	DERWENT;	
		0.1.000101011/1/1/1/1/	IBM_TDB	0004/03/04
-	6	@ad<20001013 and xslt and (root adj element)	USPAT;	2004/06/04 11:05
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	1_	L		

-	38	@ad<20001013 and xml and (root adj element)	USPAT; US-PGPUB;	2004/06/04 11:06
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	6	@ad<20001013 and xslt and (root adj element)	USPAT;	2004/06/04 11:09
1		(US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	15	@ad<20001013 and xslt and ((root adj (element or tag)) or content or	USPAT;	2004/06/04 12:12
		dtd or schema)	US-PGPUB,	
	İ		ЕРО; ЛРО;	
			DERWENT;	
	1		IBM_TDB	
1 -	9	@ad<20001013 and "6278697."	USPAT;	2004/06/04 17:29
	1		US-PGPUB;	
			ЕРО; ЛРО,	
			DERWENT;	
			IBM_TDB	
-	7988	@ad<20001013 and (switching or routing) near 10 (tag or content)	USPAT;	2004/06/04 12:16
			US-PGPUB;	
			ЕРО; ЛРО;	
	<u> </u>		DERWENT;	
			IBM_TDB	
-	407	@ad<20001013 and (switching or routing) near10 message near10 (tag	USPAT;	2004/06/04 12:16
		or content)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
	52	@-1<200010121(IBM_TDB	2004/06/04 12:16
-	53	@ad<20001013 and (switching or routing) near10 message near10	USPAT;	2004/06/04 12:16
		based near3 (tag or content)	US-PGPUB; EPO; JPO;	
	Į.		DERWENT;	
			IBM_TDB	
1_	50	@ad<20000413 and (switching or routing) near10 message near10	USPAT;	2004/06/04 12:25
	1	based near3 (tag or content)	US-PGPUB;	2004/00/04 12:23
ì		bused hears (ang or content)	ЕРО; ЛРО;	
l			DERWENT;	
			IBM_TDB	
-	9	@ad<20000413 and (switching or routing) near10 message near10	USPAT;	2004/06/04 12:27
		based near3 (tag or (content same (quot\$5 or sales or purchase or	US-PGPUB;	
		business)))	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	9	@ad<20000413 and (switching or routing) near10 message near10	USPAT;	2004/06/04 12:52
		based near3 (tag or (conten same (quot\$5 or sales or purchase or	US-PGPUB;	
	<u> </u>	business)))	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000413 and ((switching or routing) near10 message near10	USPAT;	2004/06/04 12:53
		based) near3 ((conten same (quot\$5 or sales or purchase or business)))	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
		0.1-20000412 1// 7/11	IBM_TDB	000410404
-	0	@ad<20000413 and ((switching or routing) near10 message near10	USPAT;	2004/06/04 12:54
		based) near3 ((content same (quot\$5 or sales or purchase or business)))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
		<u> </u>	IBM_TDB	

-	41	@ad<20000413 and ((switching or routing) near10 message near10 based) near3 (content)	USPAT; US-PGPUB;	2004/06/04 12:54
			EPO; JPO; DERWENT;	
-	23	@ad<20000413 and ((switching or routing) near10 message) near10 based near3 (content) and (quot\$6 or business or sales or commerce or	IBM_TDB USPAT; US-PGPUB;	2004/06/04 13:01
		purchase or transactions)	EPO; JPO; DERWENT;	
-	1	@ad<20000413 and business near5 content near3 routing	IBM_TDB USPAT; US-PGPUB;	2004/06/04 13:44
			EPO; JPO; DERWENT; IBM_TDB	
-	3	@ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) near5 (content\$12 adj3 routing)	USPAT; US-PGPUB;	2004/06/04 13:46
			EPO; JPO; DERWENT; IBM_TDB	
-	0	@ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) near5 ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router	USPAT; US-PGPUB; EPO; JPO;	2004/06/04 13:47
	,	or routing)))	DERWENT, IBM_TDB	2004/07/04 12 40
-	3	@ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) same ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/04 13:49
-	0	@ad<20000413 and b2b and ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router	IBM_TDB USPAT; US-PGPUB;	2004/06/04 13:49
		or routing)))	EPO; JPO; DERWENT; IBM TDB	
-	0	@ad<20000413 and b2b and ((content adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing)))	USPAT; US-PGPUB; EPO; JPO;	2004/06/04 13:49
	105		DERWENT; IBM_TDB	2004/06/04 12 50
-	135	@ad<20000413 and (business or commerce) and ((content adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing)))	USPAT; US-PGPUB; EPO; JPO;	2004/06/04 13:50
-	5	@ad<20000413 and (business or commerce) same ((content adj	DERWENT; IBM_TDB USPAT;	2004/06/04 13:54
		(router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing)))	US-PGPUB; EPO; JPO; DERWENT;	
-	1325	@ad<20000413 and business adj transaction	IBM_TDB USPAT; US-PGPUB;	2004/06/04 13:55
			EPO; JPO; DERWENT;	
-	0	@ad<20000413 and business adj transaction same rout	IBM_TDB USPAT; US-PGPUB;	2004/06/04 13:55
į			EPO; JPO; DERWENT; IBM_TDB	

-	91	@ad<20000413 and business adj transaction same content	USPAT; US-PGPUB;	2004/06/04 14:01
		,	ЕРО; ЛРО;	
			DERWENT;	
	1	@ad<20000412 and bysiness adj transaction same content near	IBM_TDB	2004/06/04 14:02
-	1	@ad<20000413 and business adj transaction same content near4	USPAT;	2004/06/04 14:03
		(switch\$4 or router or routing or deliver\$4 or redirect\$4 or send\$4)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	*********
-	10	@ad<20000413 and (route or routing or switch\$4) near5 message	USPAT;	2004/06/04 14:07
		near20 (routing adj tag)	US-PGPUB;	
		·	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	23	@ad<20000413 and message near20 (routing adj tag)	USPAT;	2004/06/04 14:10
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	26	@ad<20000413 and message near20 ((routing or switch\$4) adj tag)	USPAT;	2004/06/04 14:14
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	56	@ad<20000413 and message near20 ((routing or switch\$4) near2 tag)	USPĀT;	2004/06/04 14:14
	ļ		US-PGPUB;	
			ЕРО; ЈРО;	
	<u> </u>		DERWENT;	
	1		IBM_TDB	
_	0	@ad<20001013 and "011713245"	USPAT;	2004/06/04 17:30
	ľ	(60d 20001013 tild 011713213	US-PGPUB;	2001/00/01 17:50
			ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
_	11437	@ad<20001013 and "199812"	USPAT;	2004/06/04 17:30
_	11437	Wat 120001013 Wild 177012	US-PGPUB;	2004/00/04 17:50
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	0	@ad<20001013 and "130155/199812"	USPAT;	2004/06/04 17:30
-	0	Wat ~20001013 and 130137012		2004/00/04 17.30
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
		@ad<20001012 and outprosticelly some massimine and date are for	IBM_TDB	2004/06/04 17:21
-	0	@ad<20001013 and automatically same receiving same data same from	USPAT;	2004/06/04 17:31
		same variaty same remote same sources	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	@ad<20001013 and automatically same receiving same data same from	USPAT;	2004/06/04 17:31
		same variety same remote same sources	US-PGPUB;	
			ЕРО; ЈРО;	
		·	DERWENT;	
			IBM_TDB	
-	39	@ad<20001013 and "5715397"	USPAT;	2004/06/04 17:32
			US-PGPUB;	
			EPO; JPO;	
i	1		DERWENT,	l
			DEKWENI.	

-	2	@ad<20001013 and 5715397.pn.	USPAT;	2004/06/04 19:07
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1807	@ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10	USPAT;	2004/06/04 19:09
		(format or protocol) and (content near3 based)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	101	@ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10	USPAT;	2004/06/04 19:10
		(format or protocol) near10 message and (content near3 based) near5	US-PGPUB;	
		message	ЕРО; ЈРО;	
			DERWENT;	
	12	0.1-20001012 1/0 /04 / 1/04 / 5 /04) 10	IBM_TDB	2004/04/04/20
-	13	@ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10	USPAT;	2004/06/04 20:03
		(format or protocol) near10 message same (content near3 based) near5	US-PGPUB;	
		message	ЕРО; ЛРО;	
			DERWENT; IBM TDB	
	4	@ad<20001013 and "2348083"	USPAT;	2004/06/07 08:58
<u>-</u>	1	Wad \ 2000 10 13 and \ 2348083	US-PGPUB;	2004/00/07 08.38
	1		ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
	12	("6278697" "6430624" "6477646" "6675219" "6286035" "5218676"	USPAT;	2004/06/07 09:01
).pn.	US-PGPUB;	200 11 00/07 03:01
		71	ЕРО; ЈРО;	
	1		DERWENT;	
			IBM TDB	
-	7	"2348083"	USPĀT;	2004/06/07 09:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	